

REPORT NUMBER:

HGHT08282858



TEST REPORT

Number : HGHT08282858

Date : Feb 14, 2025


Sample Description As Declared :

No. Of Sample : One (1)
Fibre Content : -
Material : Knitted Socks
Finishing : -
End Uses : Men/Women
Colour : Grey
Style No. : -
Order No./PO No. : -
Buyer's Name : HANGZHOU ZHONGZHI INDUSTRY CO.,LTD
Agent Name : -
Manufacturer's Name : HANGZHOU ZHONGZHI INDUSTRY CO., LTD
Ref. : -

Applicant's Provided Care Instruction/Label:

Date Sample Received : Feb 11, 2025
Date Testing Started : Feb 11, 2025

Prepared And Checked By:
For Intertek Testing Services Ltd., Hangzhou



Vivian Zhao
Manager



Intertek Testing Services Ltd., Shanghai, Hangzhou Branch

2F, 3F, 4F, 6F's Room 601-618, Building 6, No. 1180, Bin'an Road, Changhe Street, Binjiang District, Hangzhou, Zhejiang, China

上海天祥质量技术服务有限公司杭州分公司

中国浙江省杭州市滨江区长河街道滨安路 1180 号 6 幢 2 层、3 层、4 层、6 层 601-618 室 邮编:310052

Tel: +86 571 8768 8218 Fax: +86 571 8679 0296

E-mail: hztmr@intertek.com

Attention is drawn to the terms and conditions on Website:
www.intertek.com.cn/responsibility

TEST REPORT

Number : HGHT08282858

Conclusion:


Bursting Strength As Received

M

Note : C = Conform Label
M = Meet Applicant's Requirement
F = Fail To Meet Applicant's Requirement
= No Comment

M* = Commercially Acceptable
F* = Fail
N/A = Not Applicable

Prepared And Checked By:
For Intertek Testing Services Ltd., Hangzhou



Vivian Zhao
Manager



Intertek Testing Services Ltd., Shanghai, Hangzhou Branch

2F, 3F, 4F, 6F's Room 601-618, Building 6, No. 1180, Bin'an Road, Changhe Street, Binjiang District, Hangzhou, Zhejiang, China

上海天祥质量技术服务有限公司杭州分公司

中国浙江省杭州市滨江区长河街道滨安路 1180 号 6 幢 2 层、3 层、4 层、6 层 601-618 室 邮编:310052

Tel: +86 571 8768 8218 Fax: +86 571 8679 0296

E-mail: hztmr@intertek.com

Attention is drawn to the terms and conditions on Website:
www.intertek.com.cn/responsibility

TEST REPORT

Number : HGHT08282858

Tests Conducted (As Requested By The Applicant)

1 Bursting Strength As Received (ISO 13938-1-2019, Mullen Type Burster, 30.5 mm Diaphragm Diameter):

(Test On Sole)

Applicant's
Requirement
40 lbf/sq in

Over 40.0 lbf/sq in

End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

This report shall not be reproduced except in full, without written approval of the laboratory.